GENERAL HEALTH APPRAISAL FORM

PARENT please complete AND SIGN

CHILL 9 1 142101			Bir	thdate:
Allergies: ☐ None or Describe				
Type of Reaction				
Diet: ☐ Breast Fed ☐ Formula		LIAge App	ropriate	
□Special Diet	11.1.6	41 1 f o no bo	placed on their bac	ok for sleep
Sleep: Your health care provider recommends that	all infants less t	than I year of age be	piaced on their bac	es skin is broken or bleeding.
☐ Preventive creams/ointments/sunscreen ma	ay be applied as	s requested in with t for my child's car	e health provider,	school child care or camp personnel to
I,	nealth provider	may fax this form (& applicable atta	chments) to my child's school, child care
or camp personnel. FAX #:		DAIL:		
Parent/Guardian Signature				
EALTH CARE PROVIDER: Please Co	omplete Afte	r Parent Section	Completed	
ate of Last Health Appraisal:		Weight @	Exam:	
hysical Exam: Normal Abnormal (Sp	ecify any physic	cal abnormalities)		
llergies: None or Describe	Tvi	pe of Reaction		
ignificant Health Concerns: DSevere Allergies [Reactive Airwa	av Disease Asthm	a □Seizures □Di	abetes Hospitalizations
□Developmental Delays □Behavior Con	cerns \(\sigma\) Vision	☐Hearing ☐Dental	UNutrition U O	ther
Explain above concern (if necessary, include instruc	tions to care pro	oviders):		
Current Medications/Special Diet: None	or Describe			
Separate medication authorizati or Fever Reducer or Pain Reliever (for 3 con	on form is requir	red for medications giv	en in school, child	care or camp
OR Ulbuprofen (Motrin, Advil) may be given	for pain of for i	level over 102 degree	S cvery o nours as	1100000
Dosc or see Immunizations:	the attached age munization reco	-appropriate dosage : ord □Administered to	oday:	office
Dosc or see Immunizations:	the attached age munization reco ppriate TART AND H	appropriate dosage : ord □Administered to	oday:	office
Dosc or see Immunizations:	the attached age munization reco priate TART AND H d Circumferencesk or Level	EAD START PRO	oday:	office
Dosc or see Immunizations:	priate TART AND H d Circumferencesk or Level	EAD START PRO	oday:oday:	TATE EPSDT SCHEDULE**
Dosc or see Immunizations:	priate TART AND H d Circumference sk or Level Abnormal	EAD START PRO ce (up to 12 months) Hearing: □Norma	oday:oday:	TATE EPSDT SCHEDULE**
Dosc or see Immunizations:	priate TART AND H d Circumference sk or Level Abnormal	EAD START PRO ce (up to 12 months) Hearing: □Norma	oday:oday:	TATE EPSDT SCHEDULE**
Dosc or see Immunizations:	priate TART AND H d Circumference sk or Level Abnormal	EAD START PRO ce (up to 12 months) Hearing: □Norma	oday:oday:	TATE EPSDT SCHEDULE**
Dosc or see Immunizations:	the attached age munization reco	EAD START PRO ce (up to 12 months) Hearing: □Norma	oday:oday:	TATE EPSDT SCHEDULE** Dental: Normal Abnormal- Office Stamp
Dosc or see Immunizations:	priate TART AND H d Circumferencesk or Level Abnormal Abnormal	EAD START PRO ce (up to 12 months) Hearing: □Norma	GRAMS PER S'	TATE EPSDT SCHEDULE** □Dental: □Normal □Abnormal-
Dosc or see Immunizations:	the attached age munization reco	EAD START PRO ce (up to 12 months) Hearing: □Norma	GRAMS PER S'	TATE EPSDT SCHEDULE** Dental: Normal Abnormal- Office Stamp
Dosc or see Immunizations:	priate TART AND H d Circumferencesk or Level Abnormal Abnormal Abnormal cativities in sch	Date:	GRAMS PER S' ** I DAbnormal e or camp	TATE EPSDT SCHEDULE** Dental: □Normal □Abnormal- Office Stamp Or write Name, Address, Phone, #
Dose	priate TART AND H d Circumferencesk or Level Abnormal Abnormal Abnormal cativities in sch	Date:	GRAMS PER S' ** I DAbnormal e or camp	TATE EPSDT SCHEDULE** Dental: □Normal □Abnormal- Office Stamp Or write Name, Address, Phone, #

COLORADO Name	LAW REQUIRES THAT THIS FORM	M BE COMPLI		ACH ST		ATTE	NDING	COLO	RADO	SCHOO	<u>DLS</u>
Parent/Guard											
COLORAD	O DEPARTMENT OF PUBLIC	HEALTH A	ND ENVIRO	NMEN	√T—C	ERTIF	ICATI	E OF	IMMU	NIZAT	ION
	Vaccine		Enter the month								
Hep B	Hepatitis B										
DTaP	Diphtheria, Tetanus, Pertussis (pediatric)									·	
DΤ	Diphtheria, Tetanus (pediatric)				1						
Tdap	Tetanus, Diphtheria, Pertussis										
Td	Tetanus, Diphtheria										
Hib	Haemophilus influenzae type b				Ţ						
IPV/OPV	Polio										
PCV	Pneumococcal Conjugate							"			
MMR	Measles, Mumps, Rubella										
Varicella	Chickenpox			Healthcare Provid Documentation D			L.	ab Verification D	Date		
	Vaccines recorded below	this line are rec	commended. Re	cording o	of dates	is encou	raged.				
HPV	Human Papillomavirus										
Rota	Rotavirus										
MCV4/MPSV4	Meningococcal										
Нер А	Hepatitis A										
TIV/LAIV	Influenza										
Other								<u></u>			
C) Child C Up to date for D) Comple Up to date for 'If age 4 years ar HAS Signed STATEMEN IN THE E SI SE PR	rugh 18 months of age for Colorado School Immunization are/Pre-school/Pre-K* Child Care/Pre-School/Pre-K for Colorado School Immunization are for K-5th Grade K-5th Grade K-5th Grade for Colorado School Immunization Requiren ad fulfills Requirements for Pre-School & Kindergarten, ch MET ALL IMMUNIZATION REQU (Physician, nurse, or school health authority) T OF EXEMPTION TO IMMUNIZATION EVENT OF AN OUTBREAK, EXEMPTED F ESENTA UN BROTE DE LA ENFERMEDAD, ES POSIB EXEMPTION: The physical condition of the	ization Requirements ments leck BOTH Boxes C at IREMENTS Title ON LAW (DECIPERSONS MAY BLE QUE A LAS PER	Update Signature nd D. FOR COLOR LARACIÓN RES BE SUBJECT SONAS EXENTAS S	SPECTO TO EXCL ELES PON	A LAS LUSION IGA EN CI	EXENCI FROM S	_ Date_ ONES D SCHOOL NA O SE LE	E LA LE	EY DE V O QUAI YA DE LA	ACUNA RANTINI ESCUELA	E. :
EXENCIÓN D	ed due to other medical conditions. POR RAZONES MÉDICAS: El estado de saluas están contraindicadas debido a otros problem	.id de la persona al as de salud.	rríba citada es tal e	Medica	ai exem	ption to	n riesgo p the follor dicas aplica	wing vac	cine(s):		la; o
Signed (Firma	Physician (Médico)	Date (Fecha)			☐ DTaP	☐ Tdap	∏ Hib	IPV	PCV	□` MMR	☐ VAR
RELIGIOUS	Physician (Médico) S EXEMPTION: Parent or guardian of the	above named r	person or the pe	rson him							
to immunizat	ions. POR MOTIVOS RELIGIOSOS: El padre o tu	tor de la persona a	urriba citada, o la p	ersona mi Religi e Exenció	isma, per ous exe in por mot	tenece a o mption ivos religio	una religió to the fol osos de la(s	n que se lowing v s) siguiente	opone a l vaccine(s e(s) vacuna	ia inmuniz s): (s):	zación.
Signed (Firms	a) Parent, guardian, emancipated student/consenting minor	_ Date (Fecha)		☐ Hep B	☐ DTaP	☐ Tdap	□ Hib	□ IPV	☐ PCV	□ MMR	☐ VAR
PERSONA	e, tutor, estudiante emancipado o consentimiento del mei L EXEMPTION: Parent or guardian of the	e above named (rson him e la perso Perso	na amba nal exe i	citada, o mption t	ia personi to the foli	a misma, 'owing v	se opone accine(s	nala):	posed
0:		Date (Fecha)		Exenció	in por cree	enctas pers	ionales de	la(s) siguie	ente(s) vac	ına(s): □	
Signed (Firm	a) Parent, guardian, emancipated student/consenting minor re, tutor, estudiante emancipado o consentimiento del me	_ Date (Fecha)		Hep B	DTaP	Tdap	Hib	IPV	PCV	MMR	VAR

Table 1. MINIMUM NUMBER OF DOSES REQUIRED FOR CERTIFICATE OF IMMUNIZATION

	Level of School/Age of Student												
VACCINE 4	Child Care 2–3 mos	Child Care 4–5 mos	Child Care 6–7 mos	Child Care 8–11 mos	Child Care 12–14 mos	Child Care 15–18 mos	Child Care 19–23 mos	Pre-school 2–4 yrs	K Entry 4–6 yrs	Grades K to 5 5-10 yrs	Grades 6 to 12 11–18+yrs	College	
Hepatitis B :	1	2			3				3	3	3		
Pertussis/Tetanus/ Diphtheria	1	2		3	see footnote b	4			5/4 Þ	5/4 bc	5/6 ed		
Haemophilus influenzae type b (Hib)	1	2	2	3/2	3/2	3/2/1	3/2/1	3/2/1					
Pneumococcal Conjugate ^k	1	2	3.	12		4/3/2 see	footnote k						
Polio *	1	2			3		į		4/31	4/3 f	4/3 f		
Measles/Mumps/ Rubella 9					1		see faatnote g		2 h	2 h	2 հ	2 hi	
Varicelta ^m					i		see footnote n		2 ⁿ	2/1 n	2/1 "		
Meningococcal												0	

a: Vaccine doses administered no more than 4 days before the minimum interval or age are to be e: For polio, in lieu of immunization, written evi-dence of a laboratory test showing immunity is

counted as valid.

b: Five doses of pertussis, tetanus, and diphtheria vaccines are required at school entry in Colorado unless the 4th dose was given at 48 months of age or older (i.e., on or after the 4th binthady) in which case only 4 doses are required. There must be at least 4 weeks between dose 1 and dose 2, at least 4 weeks between dose 2 and dose 3, at least 6 months between dose 3 and dose 4 and at least 6 months between dose 3 and dose 4 and at least 6 months between dose 5 and dose 4 and at least 6 months between dose 3 and dose 4 and at least 6 and the size of age (dose unst be given at 12 months of age provided there is at least 6 months between dose 3 and dose 4. The final dose of 4 years, no additional doses are required.

age of 4 years, no additional doses are required.

c: For students 7 years of age or older who have not had the required number of pertussis doses, no new or additional doses are required. Any student 7 years of age or older at school entry in Colorado who has not completed a primary series of 3 appropriately spaced doses of telanus and diphtheria vaccine may be certified after the 3rd dose of telanus and diphtheria vaccine (or telanus, diphtheria, and pertussis vaccine if 10 or 11 years if it is given 6 months or more after the 2nd dose.

d: The student must meet the minimum prior requirement for the 4th or 5th doses of diphtheria, tetanus, and pertussis vaccine and have 1 tetanus, diphtheria, and perfussis vaccine dose.

accentable.

acceptable.

Four doses of polio vaccine are required at school entry in Colorado unless the 3rd dose was given at 48 months of age or older (i.e., on or after the 4th birthday) in which case only 3 doses are required. There must be at least 4 weeks between dose 1 and dose 2, at least 4 weeks between dose 2 and dose 3 and at least 6 months between dose 2 and dose 4. The final dose must be given no sooner than 4 years of age. Minimum age/interval does not apply if 4th dose of polio (3rd dose if given after 4th birthday) was administered prior to July 1, 2009.

For measles, mumos, and unfella in lieu of a contraction of the contraction of the second of the contraction of

ory) was administered price 3 odly 1, 2009 (2) gr. For measles, mumps, and rubella, in lieu of immunization, written evidence of a laboratory test showing immunity is acceptable for the specific disease tested. The 1st dose of measles, mumps, and rubella vaccine must have been administered at 12 months of age or older (i.e., on or after the 1st birthday) to be acceptable.

h: The 2nd dose of measles vaccine or measles, mumps, and rubella vaccine must have been administered at least 28 calendar days after the 1st dose. i: Measles, mumps, and rubella vaccine is not required for college students born before January 1, 1957.

J: The number of Hib vaccine doses required depends on the student's current age and the age when the vaccine was administered. If any dose was given at 15 months of age or older, the Hib vaccine

requirement is met. For students who began the series before 12 months of age, 3 doses are required of which at least 1 dose must have been administered at 12 months of age or older (i.e., on or after the 1st birthday). If the 1st dose was given at 12 to 14 months of age, 2 doses are required. If the current age is 5 years of age or older, no new or additional doses are required.

additional doses are required.

k: The number of pneumococcal conjugate vaccine
(PCV) doses required depends on the student's current age and the age when the 1st dose was administered. If the 1st dose was administered seriors 6
months of age, the child is required to receive 3
doses 2 months aparl and an additional dose
between 12–15 months of age, if started between
7–11 months of age, the child is required to receive
2 doses, two months aparl and an additional dose
between 12–15 months of age. For any student who
received the 3rd dose on or after the first birthday, a
4th dose is not required. If the 1st dose was given at
2 to 23 months of age, 2 doses are required. If any
dose was given at 24 months of age through 4
years of age, the PCV vaccine requirement is met. If
the current age is 5 years or older, no new or additional doses are required.
It For hepatitis B, in ileu of immunization, written evi-

t: For hepatitis B, in lieu of immunization, written evidence of a laboratory test showing immunity is acceptable. The second dose is to be administered at least 4 weeks after the first dose, and the third dose is to be administered at least 16 weeks after the first dose and at least 8 weeks after the first dose and at least 8 weeks after the second

dose. The final dose is to be administered at 24 weeks of age (6 months of age) or older and is not to be administered prior to 6 months of age. Minimum age/interval does not apply to those students who had 3 doses of the vaccine administered prior to July 1, 2009.

to July 1, 2009.

The Transcription written evidence of a laboratory test showing immunity or a documented disease history from a health care provider is acceptable. The 1st dose of varicella vaccine must have been administered at 12 months of age or older (i.e., on or after the 1st birthday) to be acceptable.

or after the 1st birthday) to be acceptable.

If the second dose of varicella vaccine was administered to a child before 13 years of age, the minimum interval between dose 1 and dose 2 is three months, however, if the second dose is administered at least 28 days following the first dose, the second dose does not need to be repeated. For a child who is 13 years of age or older, the second dose of varicella vaccine must have been administered at least 28 catendar days after the 1st dose. See Table 2 for the school years/grade levels that the 1st and 2nd doses of varicella will be required.

the 1st and 2nd coses or varicella will be required, or information concerning meningococcal disease and the meningococcal vaccine shall be provided to each new student or if the student is under 18 years, to the student's parent or guardian. If the stu-dent does not obtain a vaccine, a signature must be obtained from the student or if the student is under 18 years, the student of the your distribution of the information was reviewed.

Table 2. TIMETABLE FOR IMPLEMENTATION OF REQUIREMENTS FOR **SELECTED IMMUNIZATIONS FOR GRADES K TO 12**

Refer to Table 1 for the minimum number of doses required for a particular grade level. Table 2 shows the year of implementation for a requirement from Table 1 and is restricted to varicella vaccine dose 1 (Var1) and dose 2 (Var2) and tetanus, diphtheria, and pertussis vaccine (Tdap). Requirements and effective dates for other vaccines are listed in Table 1. In this table, after a vaccine is required for grades K to 12, it is no longer shown, but the requirements listed in Table 1 continue to apply.

0-1	Grade Level													
School Year	κ	1	2	3	4	5	6	7	8	9	10	11	12	
2007–08	Var2	Var1	Var1	Var1	Var1	Var1	Tdap Var1	Var1			Tdap			
2008-09	Var2	Var2	Var1	Var1	Var1	Var1	Tdap Var1	Tdap Var1	Var1		Tdap	Tdap		
2009–10	Var2	Var2	Var2	Var1	Var1	Var1	Tdap Var1	Tdap Var1	Tdap Var1	Var1	Tdap	Tdap	Tdap	
201011	Var2	Var2	Var2	Var2	Var1	Var1	Tdap Var1	Tdap Var1	Tdap Var1	Tdap Var1	Tdap Var1	Tdap	Tdap	
2011–12	Var2	Var2	Var2	Var2	Var2	Var1	Var1	Var1	Var1	Var1	Var1	Var1		
2012–13 (Var1 required for grades K to 12)	Var2	Var2	Var2	Var2	Var2	Var2	Var1	Var1	Var1	Var1	Var1	Var1	Var1	
2013–14	Var2	Var2	Var2	Var2	Var2	Var2	Var2							
201415	Var2	Var2	Var2	Var2	Var2	Var2	Var2	Var2						
201516	Var2	Var2	Var2	Var2	Var2	Var2	Var2	Var2	Var2					
2016–17	Var2	Var2	Var2	Var2	Var2	Var2	Var2	Var2	Var2	Var2				
2017–18	Var2	Var2	Var2	Var2	Var2	Var2	Var2	Var2	Var2	Var2	Var2			
201819	Var2	Var2	Var2	Var2	Var2	Var2	Var2	Var2	Var2	Var2	Var2	Var2		
201920 (Var2 required for grades K to 12)	Var2	Var2	Var2	Var2	Var2	Var2	Var2	Var2	Var2	Var2	Var2	Var2	Var2	